according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015
--	---

Print Date 30.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: ARALDITE® 2022-1 B
Unique Formula Identifier (UFI)	: K6G2-501Y-X007-HDRA
1.2 Relevant identified uses of the Use of the Substance/Mixture	e substance or mixture and uses advised against : Adhesives
1.3 Details of the supplier of the s	safety data sheet
Company Address Telephone Telefax	 Huntsman Advanced Materials (Europe) BV Everslaan 45 3078 Everberg Belgium +41 61 299 20 41 +41 61 299 20 40
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com
1.4 Emergency telephone number	r
Emergency telephone number	: Berlin: 0049 30 19 24 0 & 0049 30 30 68 6 7 11 Bonn: 0049 228 19 27 0 & 0049 228 28 7 3 32 11 Erfurt: 0049 361 73 07 30 Freiburg: 0049 761 16 24 0 Göttingen: 0049 51 19 24 0 & 0049 551 38 31 80 Homburg: 0049 6841 19 24 0 Mainz: 0049 6131 19 24 0 & 0049 6131 23 24 66 München: 0049 89 19 24 0 Nürnberg: 0049 911 39 8 2 45 1 EUROPE: $+32$ 35 75 1234 France ORFILA: $+33(0)145425959$ ASIA: $+65$ 6336-6011 China: $+86$ 20 39377888 +86 532 83889090 India: $+$ 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: $+1$ 800-424-9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2

H225: Highly flammable liquid and vapour.



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version 1.5	Revision Date: 09.10.2023	SDS Numb 400000001	213Date of first issue: 17.09.2015
			Print Date 30.08.2024
Skin	irritation, Category 2		H315: Causes skin irritation.
Skin	sensitisation, Category	1	H317: May cause an allergic skin reaction.
	cific target organ toxicity osure, Category 3, Respir em		H335: May cause respiratory irritation.
2.2 Labe	l elements		
Lab	elling (REGULATION (E	C) No 1272/2	2008)
Haza	ard pictograms		
Sign	al word	: Danger	
Haza	ard statements	H315 H317	Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation.
Dree		Prevent	ion:
Prec	autionary statements	flames a P233 P261 P264 P280	Keep away from heat, hot surfaces, sparks, open and other ignition sources. No smoking. Keep container tightly closed. Avoid breathing mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye on/ face protection/ hearing protection.
		Respon	se:
		P370 + I alcohol-i	P378 In case of fire: Use dry sand, dry chemical or resistant foam to extinguish.

Hazardous components which must be listed on the label:

methyl methacrylate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version 1.5 Revision Date: 09.10.2023

SDS Number: 400000001213 Date of last issue: 03.09.2021 Date of first issue: 17.09.2015

Print Date 30.08.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
methyl methacrylate	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 70 - < 90
3,5-diethyl-1,2-dihydro-1-phenyl- 2-propylpyridine	34562-31-7 252-091-3 01-2120769712-47	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 4; H413	>= 2,5 - < 10
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	If skin irritation persists, call a physician.



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B




1.5	Revision Date: 09.10.2023		DS Number: 0000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015	
				Print Date 30.08.202	
			If on skin, rinse If on clothes, re	well with water. move clothes.	
In case of eye contact :			Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
lf swa	allowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		
.2 Most	important symptoms a	nd e	effects, both acu	ute and delayed	
Risks	3	:		itation. allergic skin reaction. piratory irritation.	
4.3 Indica	tion of any immediate	me	dical attention a	nd special treatment needed	
Treat	ment	:	Treat symptom	atically.	
SECTIO	N 5: Firefighting mea	sur	es		
5.1 Exting	guishing media				
5.1 Exting			es Water spray Alcohol-resistar Carbon dioxide Dry chemical		
5 .1 Extin g Suita	guishing media ble extinguishing media itable extinguishing		Water spray Alcohol-resistar Carbon dioxide Dry chemical	(CO2) In when using a high volume water jet as it may	
5.1 Exting Suita Unsu medi	guishing media ble extinguishing media itable extinguishing	:	Water spray Alcohol-resistan Carbon dioxide Dry chemical Exercise cautio scatter and spre	(CO2) In when using a high volume water jet as it may ead fire	
5.1 Exting Suita Unsu medi 5.2 Speci Spec	guishing media ble extinguishing media itable extinguishing a	:	Water spray Alcohol-resistar Carbon dioxide Dry chemical Exercise cautio scatter and spra	(CO2) In when using a high volume water jet as it may ead fire	
5.1 Exting Suita Unsu medi 5.2 Speci Spec firefiç	guishing media ble extinguishing media itable extinguishing a al hazards arising from ific hazards during yhting rdous combustion	: :	Water spray Alcohol-resistar Carbon dioxide Dry chemical Exercise cautio scatter and spre- e substance or r Do not allow ru	(CO2) In when using a high volume water jet as it may ead fire mixture	
5.1 Exting Suita Unsu medi 5.2 Speci Spec firefiç Haza produ	guishing media ble extinguishing media itable extinguishing a al hazards arising from ific hazards during yhting rdous combustion	: :	Water spray Alcohol-resistan Carbon dioxide Dry chemical Exercise cautio scatter and spre- e substance or r Do not allow ru courses.	(CO2) In when using a high volume water jet as it may ead fire mixture	
5.1 Exting Suita Unsu medi 5.2 Speci firefig Haza produ 5.3 Advic Speci	guishing media ble extinguishing media itable extinguishing a al hazards arising from ific hazards during ghting rdous combustion ucts	: : : :	Water spray Alcohol-resistan Carbon dioxide Dry chemical Exercise cautio scatter and spra substance or r Do not allow ru courses. Carbon oxides	(CO2) In when using a high volume water jet as it may ead fire mixture	
5.1 Exting Suita Unsu medi 5.2 Speci Speci firefig Haza produ 5.3 Advic Speci for fir	guishing media ble extinguishing media itable extinguishing a al hazards arising from ific hazards during phting rdous combustion ucts e for firefighters ial protective equipment efighters ific extinguishing	: : : :	Water spray Alcohol-resistan Carbon dioxide Dry chemical Exercise cautio scatter and spre- substance or r Do not allow ru courses. Carbon oxides Wear self-conta necessary. Use extinguishi	(CO2) on when using a high volume water jet as it may ead fire mixture n-off from fire fighting to enter drains or water	

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision Date:	SDS Number:
1.5	09.10.2023	40000001213



Print Date 30.08.2024

For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	concentrations. vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
-------------------------	---



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Vers 1.5	sion	Revision Date: 09.10.2023		DS Number: 00000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015
					Print Date 30.08.2024
		on protection against d explosion	:	Take necessary a (which might cau	a naked flame or any incandescent material. action to avoid static electricity discharge se ignition of organic vapours). Use only equipment. Keep away from open flames, hot rces of ignition.
	Hygien	e measures	:		ot eat or drink. When using do not smoke. ore breaks and at the end of workday.
7.2 (Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	ventilated place. carefully resealed	p container tightly closed in a dry and well- Containers which are opened must be d and kept upright to prevent leakage. ecautions. Keep in properly labelled
	Advice	on common storage	:	For incompatible SDS.	materials please refer to Section 10 of this
	Storage	e class (TRGS 510)	:	3	
		r information on e stability	:	Stable under nor	mal conditions.
	Recom temper	mended storage ature	:	2 - 8 °C	
7.3 5	Specific	c end use(s)			
	-	c use(s)	:	No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
methyl methacrylate	80-62-6	TWA	50 ppm	2009/161/EU	
	Further inform	nation: Indicative			
		STEL	100 ppm	2009/161/EU	
	Further information: Indicative				
		AGW	50 ppm	DE TRGS	
			210 mg/m3	900	
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(I)			
		er information: When there is compliance with the OEL and biological nee values, there is no risk of harming the unborn child			
2,6-di-tert-butyl-p-	128-37-0	AGW (Vapour	10 mg/m3	DE TRGS	
cresol		and aerosols,		900	



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision Date:	SDS Number:	Date of last issue: 03.09.2021	
1.5	09.10.2023	400000001213	Date of first issue: 17.09.2015	

inhalable fraction)		
Peak-limit: excursion factor (category): 4;(II)		
Further information: When there is compliance with the OEL and biological		
tolerance values, there is no risk of harming the unborn child		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Workers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value			
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 µg/l			
	Remarks: Assessment Factors				
	Marine water	0,02 μg/l			
	Remarks: Assessment Factors				
	Sewage treatment plant	0,17 mg/l			
	Remarks: Assessment Factors	Remarks:Assessment Factors			
	Fresh water sediment	0,0996 mg/kg dry weight (d.w.)			
	Remarks:Equilibrium method				
	Marine sediment	0,00996 mg/kg dry weight (d.w.)			
	Remarks:Equilibrium method				
	Soil	0,04769 mg/kg			
		dry weight (d.w.)			
	Remarks:Equilibrium method				
Oral		8,33 mg/kg			

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection		
Material		butyl-rubber
Material	·	batyi-tabbei
Material		Ethyl Vinyl Alcohol Laminate (EVAL)
Break through time	:	> 8 h
Break infough infe	·	> 0 11
Material		Nitrile rubber
	:	
Break through time	•	10 - 480 min



according to Regulation (EC) No. 1907/2006

ARA

ARALD	DITE® 2022-1 B				
Version 1.5	Revision Date: 09.10.2023	SDS Number: 400000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015		
			Print Date 30.08.2024		
Remarks		concerning per special workpla contact). Chemical-resis approved stand chemical produ necessary. The	the information given by the producer rmeability and break through times, and of ace conditions (mechanical strain, duration of ttant, impervious gloves complying with an dard should be worn at all times when handling ucts if a risk assessment indicates this is a suitability for a specific workplace should be the producers of the protective gloves.		
Skin and body protection :		Choose body p	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
Respiratory protection			Use respiratory protection unless adequate local exhaust		

piratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines Equipment should conform to EN 14387
		In the case of vapour formation use a respirator with an approved filter.

Filter type	: Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: paste
Colour	: yellow
Odour	: acrylic-like
Odour Threshold	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point/boiling range	: > 100 °C Method: estimated
Flammability (solid, gas)	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Flash point	: 10 °C



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version 1.5	Revision Date: 09.10.2023	SDS Number: 400000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015
			Print Date 30.08.2024
Auto	-ignition temperature	: No data is ava	ilable on the product itself.
Deco	omposition temperature	: No data is ava	ilable on the product itself.
рН		: substance/mix	tture is non-soluble (in water)
Visco Vi	osity scosity, dynamic	: 30 000 - 55 00 thixotropic	00 mPa.s (20 °C)
	bility(ies) ater solubility	: insoluble	
So	olubility in other solvents	: No data is ava	ilable on the product itself.
	tion coefficient: n- nol/water	: No data is ava	ilable on the product itself.
Vapo	our pressure	: No data is ava	ilable on the product itself.
Dens	sity	: 0,94 - 0,95 g/c	cm3 (23 °C)
Rela	tive density	: No data is ava	ilable on the product itself.
Rela	tive vapour density	: No data is ava	ilable on the product itself.
Parti	cle characteristics	: No data is ava	ilable on the product itself.

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

10.5 Incompatible materials

Materials to avoid : None known.



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision Date:	SDS Number:	Date of last issue: 03.09.2021
1.5	09.10.2023	40000001213	Date of first issue: 17.09.2015

Print Date 30.08.2024

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed. Hazardous decomposition : carbon dioxide products carbon monoxide

SECTION 11: Toxicological information

Acute toxicity Not classified due to lack of data. Product: Acute oral toxicity : Acute toxicity estimate: > 2 000 mg/kg Method: Calculation method Components: methyl methacrylate: : LD50 (Rat): 7 900 - 9 400 mg/kg Acute oral toxicity : LC50 (Rat, male and female): 29,8 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: vapour Method: Directive 67/548/EEC, Annex V, B.2. Acute dermal toxicity : LD50 (Rabbit, male): > 5 000 mg/kg Method: OECD Test Guideline 402 3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine: Acute oral toxicity : LD50 (Rat, male and female): > 500 mg/kg GLP: yes Assessment: The component/mixture is moderately toxic after single ingestion. Acute dermal toxicity LD50 (Rabbit, male and female): > 1 000 mg/kg GLP: yes Assessment: The substance or mixture has no acute dermal toxicity 2,6-di-tert-butyl-p-cresol: Acute oral toxicity : LD50 (Rat, male and female): > 6 000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision
1.5	09.10.20

evision Date: .10.2023



Enriching lives through innovation

Date of last issue: 03.09.2021 Date of first issue: 17.09.2015

Print Date 30.08.2024

Skin corrosion/irritation

Causes skin irritation.

Components:

methyl methacrylate:

Species	:	Rabbit
Method	:	OPPTS 870.2500
Result	:	Skin irritation

SDS Number:

40000001213

3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine:

Species	: Rabbit	
Exposure time	: 4 h	
Method	: Other guidelines	
Result	: Skin irritation	
GLP	: yes	
	-	

2,6-di-tert-butyl-p-cresol:

Species :	Rabbit
Assessment :	No skin irritation
Method :	OECD Test Guideline 404
Result :	No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:

3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Mild eye irritation
GLP	:	yes

2,6-di-tert-butyl-p-cresol:

Species :	Rabbit
Assessment :	No eye irritation
Method :	OECD Test Guideline 405
Result :	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

methyl methacrylate:

Exposure routes	: Skin	
Species	: Mouse	
Assessment	: May cause sensitisation by skin conta	ct.

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

ARALDITE® 2022-1 B				
Vers 1.5	sion	Revision Date: 09.10.2023	SDS Number 40000000121	
				Print Date 30.08.2024
	Methoo Result			st Guideline 429 e sensitisation by skin contact.
	3,5-die	ethyl-1,2-dihydro-1		
	Test Ty Specie Assess Method Result GLP	s sment d	: Mouse : Did not ca : OECD Te	ph node assay (LLNA) ause sensitisation on laboratory animals. st Guideline 429 ause sensitisation on laboratory animals.
	2,6-di-	tert-butyl-p-cresol:		
	Exposi Specie Result		: Skin : Humans : Does not	cause skin sensitisation.
Germ cell mutagenicity Not classified due to lack of data.				
	Comp	onents:		
	methy	I methacrylate:		
	Genoto	oxicity in vitro	Test syste	e: Microbial mutagenesis assay (Ames test) em: Salmonella typhimurium DECD Test Guideline 471 egative
	3,5-die	ethyl-1,2-dihydro-1	-phenyl-2-propyl	oyridine:
		oxicity in vitro	: Test Type Test syste Metabolic	e: reverse mutation assay em: Salmonella tryphimurium and E. coli activation: with and without metabolic activation DECD Test Guideline 471
	2,6-di-	tert-butyl-p-cresol:		
	Genoto	oxicity in vitro		e: reverse mutation assay activation: with and without metabolic activation egative
				e: Chromosome aberration test in vitro activation: with and without metabolic activation egative
	Genoto	oxicity in vivo	: Applicatio Dose: 75 Result: ne	
			Exposure	n Route: Oral time: 9 Months 750 mg/kg



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision Date:	SDS Number:	Date of last issue: 03.09.2021
1.5	09.10.2023	40000001213	Date of first issue: 17.09.2015
			Print Date 30.08.2024
		Result: negative	
		Ŭ	

Carcinogenicity

Not classified due to lack of data.

Components:

methyl methacrylate:

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
Dose	:	6, 60, 2000 ppm
Frequency of Treatment	:	once daily
NOAEL	:	90,3 mg/kg bw/day
Result	:	negative

2,6-di-tert-butyl-p-cresol:

Species	:	Rat, male and female
Application Route	:	Oral
Result	:	negative

Reproductive toxicity

Not classified due to lack of data.

Components:

methyl methacrylate:

development	Species: Rat Application Route: Inhalation Dose: 99, 304, 1178 ppm Teratogenicity: NOAEC F1: 8 300 mg/m ³ Embryo-foetal toxicity: NOAEC F1: 8 300 mg/m ³ Method: OECD Test Guideline 414 Result: No teratogenic effects
-------------	---

2,6-di-tert-butyl-p-cresol:

Effects on fertility	 Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Dose: 25/100/500 mg/kg bw/day General Toxicity - Parent: NOAEL: 100 mg/kg body weight General Toxicity F1: NOAEL: 25 mg/kg body weight Result: negative
Effects on foetal development	: Test Type: Pre-natal Species: Mouse, female Application Route: Oral Duration of Single Treatment: 7 d General Toxicity Maternal: NOAEL: 240 mg/kg body weight Developmental Toxicity: NOAEL: 800 mg/kg body weight Target Organs: spleen, Kidney



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version F 1.5 C

Revision Date: 09.10.2023

SDS Number: 400000001213



Enriching lives through innovation

Date of last issue: 03.09.2021 Date of first issue: 17.09.2015

Print Date 30.08.2024

STOT - single exposure

May cause respiratory irritation.

Components:

methyl methacrylate:

Exposure routes	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

methyl methacrylate:

Species	:	Rat, male and female
NOAEL	:	124,1 mg/kg
Application Route	:	oral (drinking water)
Exposure time	:	2 years
Number of exposures	:	daily
Dose	:	6, 60, 2000 ppm

2,6-di-tert-butyl-p-cresol:

Species	:	Pig, male and female
NOAEL	:	>= 61 mg/kg
Application Route	:	oral (feed)
Exposure time	:	daily
Method	:	Chronic toxicity

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version 1.5	Revision Date: 09.10.2023		0S Number: 0000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015
				Print Date 30.08.2024
Fur	ther information			
	duct:		_	
Rer	marks	-	Solvents may deg	prease the skin.
SECTIO	ON 12: Ecological infor	ma	tion	
12.1 To	kicity			
<u>Co</u>	mponents:			
me	thyl methacrylate:			
Тох	cicity to fish	:	LC50 : 191 mg/l Exposure time: 96	ô h
			Exposure time: 96 Test Type: flow-th	
	cicity to daphnia and other attic invertebrates	:	EC50 : 69 mg/l Exposure time: 48	3 h
Tox plai	icity to algae/aquatic nts	:	EC50 : > 110 mg/ Exposure time: 72	
aqu	cicity to daphnia and other natic invertebrates nronic toxicity)	:	NOEC: 37 mg/l Exposure time: 2 Species: Daphnia Test Type: flow-th Method: OECD T	magna (Water flea) prough test
3,5	-diethyl-1,2-dihydro-1-ph	env	l-2-propylpyridine	2:
Тох		-		agna (Water flea)): 22 mg/l 3 h test
Tox plai	vicity to algae/aquatic nts	:	EC50 (Pseudokin Exposure time: 72 Test Type: static Analytical monitor Method: OECD T GLP: yes	test ring: yes
			NOEC (Pseudokin mg/l Exposure time: 72 Test Type: static Analytical monitor Method: OECD T GLP: yes	test ing: yes



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version Revision Date: 1.5 09.10.2023		SDS Number: 400000001213		Date of last issue: 03.09.2021 Date of first issue: 17.09.2015			
					Print Date 30.08.2024		
		cicology Assessment	:	: May cause long lasting harmful effects to aquatic life.			
	2,6-di-t	ert-butyl-p-cresol:					
	Toxicity	v to fish	:	LC50 (Fish): 0,199 Exposure time: 96 Test substance: F Method: QSAR	5 h		
	Toxicity to daphnia and other aquatic invertebrates			EC50 (Daphnia m End point: Immob Exposure time: 48 Test Type: static t Test substance: F Method: OECD Te	ilization b h est resh water		
	Toxicity plants	v to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Test substance: F Method: OECD To	est resh water		
				NOEC (Pseudokin mg/l Exposure time: 72 Test Type: static t Test substance: F Method: OECD Te	est resh water		
	M-Factor toxicity	or (Acute aquatic)	:	1			
	Toxicity	to microorganisms	•	ErC50 (activated s Exposure time: 24 Test Type: static t	h		
	Toxicity toxicity)	v to fish (Chronic)	:	NOEC: 0,053 mg/ Exposure time: 30 Species: Oryzias Test substance: F Method: OECD Te	d atipes (Orange-red killifish) resh water		
				NOEC: >= 23,8 m Exposure time: 70 Species: Fish Test substance: F	d		
	aquatic	v to daphnia and other invertebrates ic toxicity)	:	EC50: 0,096 mg/l Exposure time: 21 Species: Daphnia Test substance: F Method: OECD Te	magna (Water flea) resh water		



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B



ARALL	DITE® 2022-1 B			
Version 1.5	Revision Date: 09.10.2023		S Number: 000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015
				Print Date 30.08.20
			Test substance	: 21 d nia magna (Water flea)
M-Fa toxicit	ctor (Chronic aquatic y)	:	1	
12.2 Persi	stence and degradal	oility		
Com	oonents:			
meth	yl methacrylate:			
	gradability		Result: Readily Biodegradation Exposure time:	
3,5-di	iethyl-1,2-dihydro-1-j	ohenyl	-2-propylpyrid	ine:
Biode	gradability		Result: Not rea Biodegradation Exposure time: Method: QSAR GLP: no	: 28 d
2,6-di	i-tert-butyl-p-cresol:			
Biode	gradability	:	Result: Not bio	degradable
12.3 Bioa	ccumulative potentia	I		
Com	oonents:			
meth	yl methacrylate:			
Bioac	cumulation	:	Bioconcentratio	on factor (BCF): 3
	ion coefficient: n- ol/water	:	log Pow: 1,38	
3,5-di	iethyl-1,2-dihydro-1-j	ohenyl	-2-propylpyrid	ine:
	on coefficient: n-		log Pow: > 6,5	(25 °C)
octan	ol/water		pH: 5,7 Method: OECD GLP: yes) Test Guideline 117
2,6-d i	i-tert-butyl-p-cresol:			
Bioac	cumulation		Exposure time:	on factor (BCF): 330 - 1 800
	ion coefficient: n- ol/water	:	log Pow: 5,2	

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision Date: 09.10.2023	SDS Number:	Date of last issue: 03.09.2021		
1.5		40000001213	Date of first issue: 17.09.2015		
			Print Date 30.08.2024		

12.4 Mobility in soil

Components:

2,6-di-tert-butyl-p-cresol:

Distribution among : Koc: 8183 environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

ponents erties according ated regulation EU) 2018/605 at

12.7 Other adverse effects

Product:

Additional ecological	:	An environmental hazard cannot be excluded in the event of
information		unprofessional handling or disposal.
		Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1	UN	number	or I	ID	number
------	----	--------	------	----	--------

IMDG

: UN 1133



according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

HUNTSMAN

Version 1.5	Revision Date: 09.10.2023		0S Number: 0000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015	
				Print Date 30	0.08.2024
ΙΑΤΑ		:	UN 1133		
14.2 UN pr	oper shipping name				
ADN		:	ADHESIVES		
ADR		:	ADHESIVES		
RID		:	ADHESIVES		
IMDG		:	ADHESIVES		
ΙΑΤΑ		:	Adhesives		
14.3 Trans	port hazard class(es)				
			Class	Subsidiary risks	
ADN		:	3		
ADR		:	3		
RID		:	3		
IMDG		:	3		
ΙΑΤΑ		:	3		
14.4 Packi	ng group				
Classi	ng group fication Code d Identification Number	:	II F1 33 3		
ADR Packir Classi Hazar Labels	ng group fication Code d Identification Number	:	II F1 33 3 (D/E)		
Classi	ng group fication Code d Identification Number	:	II F1 33 3		
IMDG	ng group	:	ll 3 F-E, S-D		
Packir aircraf Packir	ng instruction (LQ)	:	364 Y341 II Flammable Liquids	2	
IATA Packir	(Passenger) ng instruction enger aircraft)	:	353	-	

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B



Enriching lives through innovation

Version 1.5	Revision Date: 09.10.2023		OS Number: 0000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015
				Print Date 30.08.2024
Packir Labels	ng instruction (LQ) ng group s onmental hazards	:	Y341 II Flammable Liquid	ds
ADN				
	nmentally hazardous	:	no	
ADR Enviro	nmentally hazardous	:	no	
RID Enviro	nmentally hazardous	:	no	
IMDG Marine	e pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product does not contain substances of very high concern.
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	 Conditions of restriction for the following entries should be considered: Number on list 75, 3 If you intend to use this product as tattoo ink, please contact your vendor.
Seveso III: Directive 2012/18/EU of the P5c European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	FLAMMABLE LIQUIDS
Water hazard class : WGK 1 slightly hazar (Germany) Classification accordi	rdous to water ing to AwSV, Annex 1 (5.2)

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Version	Revision Date:
1.5	09.10.2023

SDS Number: 400000001213



Enriching lives through innovation

Date of last issue: 03.09.2021 Date of first issue: 17.09.2015

Print Date 30.08.2024

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:					
DSL	: All components of this product are on the Canadian DSL				
AIIC	: On the inventory, or in compliance with the inventory				
ENCS	: Notified. Allowed to be imported / manufactured only by the notifiers. Please contact your Huntsman sales representative for more information.				
KECI	: On the inventory, or in compliance with the inventory				
PICCS	: On the inventory, or in compliance with the inventory				
IECSC	: On the inventory, or in compliance with the inventory				
TCSI	: On the inventory, or in compliance with the inventory				
TSCA	: All substances listed as active on the TSCA inventory				

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H225 :	Highly flammable liquid and vapour.
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006

ARALDITE® 2022-1 B

Versi 1.5	ion	Revision Date: 09.10.2023	-	SDS Number: 00000001213	Date of last issue: 03.09.2021 Date of first issue: 17.09.2015		
					Print Date 30.08.2024		
	H410 H413				atic life with long lasting effects. lasting harmful effects to aquatic life.		
	Full tex	xt of other abbrevia	ation	S			
	Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. Flam. Liq. Skin Irrit. Skin Sens.			 Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Flammable liquids Skin irritation Skin sensitisation 			
	STOT 2009/1	SE	:	 Specific target organ toxicity - single exposure Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC 			
	2009/1 2009/1	GS 900 61/EU / TWA 61/EU / STEL GS 900 / AGW		 Germany. TRGS 900 - Occupational exposure limit values. Limit Value - eight hours Short term exposure limit Time Weighted Average 			
		r information					
	Classi	fication of the mixt	ure:		Classification procedure:		
	Flam. L	_iq. 2	Н	225	Based on product data or assessment		
	Skin Irr	rit. 2	Н	315	Calculation method		
	Skin Se	ens. 1	Н	317	Calculation method		
	STOT	SE 3	Н	335	Calculation method		

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.



according to Regulation (EC) No. 1907/2006

HUNTSMAN Enriching lives through innovation

ARALDITE® 2022-1 B

Version Revision Date: 09.10.2023 1.5

SDS Number: 40000001213

Date of last issue: 03.09.2021 Date of first issue: 17.09.2015

Print Date 30.08.2024

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.