according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ALEXIT BR12T4-BladeRep Thinner 12 Medium

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Industrial serial painting

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Mankiewicz Gebr. & Co.

(GmbH & Co. KG)

Georg-Wilhelm-Straße 189

21107 Hamburg

Telephone : +4940751030 Telefax : +494075103375 E-mail address : sdb info@umco.de

1.4 Emergency telephone number

+49 (0) 551 / 19240 (Toxic agent information centre North / NORD)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 Specific target organ toxicity - single

exposure, Category 3, Central nervous

system

Aspiration hazard, Category 1

H336: May cause drowsiness or dizziness.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

Chronic aquatic toxicity, Category 2

H411: Toxic to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Flammable R10: Flammable.

Dangerous for the environment R51/53: Toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic

environment.

R66: Repeated exposure may cause skin dryness

or cracking.

R67: Vapours may cause drowsiness and

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

dizziness.

Harmful R65: Harmful: may cause lung damage if

swallowed.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

> H304 May be fatal if swallowed and enters

airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin

dryness or cracking.

Precautionary statements Prevention:

P210 Keep away from heat/sparks/open

flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/

vapours/sprav.

Avoid release to the environment. P273

Response:

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER or doctor/physician.

Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam for extinction.

Hazardous components which must be listed on the label:

64742-94-5 Hydrocarbons, C10, aromatics, <1 %naphthalene

123-86-4 n-butyl acetate

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Paint auxiliary agent in a mixture of organic solvents

Hazardous components

Chemical Name CAS-No. EC-No. Registration number Remarks	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Hydrocarbons, C10, aromatics, <1 %naphthalene 64742-94-5 918-811-1	N; R51/53 Xn; R65 R66 R67	STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 40 - <= 100
acetylacetone 123-54-6 204-634-0	R10 Xn; R22	Flam. Liq. 3; H226 Acute Tox. 4; H302	>= 12,5 - < 20
WEL substance : n-butyl acetate	R10	Flam. Liq. 3; H226	>= 5 - < 12,5
123-86-4 204-658-1 01-2119485493-29	R66 R67	STOT SE 3; H336	

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In all cases of doubt, or when sickness symptoms persist, General advice

seek medica lattention.

Never give anything by mouth to an unconscious person.

If inhaled Remove to fresh air, keep patient warm and at rest.

Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical

advice.

In case of skin contact : Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use recognised

skin cleanser.

Do NOT use solvents or thinners!

In case of eye contact : Remove contact lenses, irrigate copiously with clean, fresh

water for at least 10 minutes, holding the eyelids apart and

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

seek medical advice.

If swallowed : Do NOT induce vomiting.

> If accidentally swallowed obtain immediate medical attention. Never give anything by mouth to an unconscious person.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Hazardous combustion

products

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Appropriate breathing apparatus may be required.

Further information : Cool endangered containers with water in case of fire. DO

NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER

DRAINS OR WATER COURSES!!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Exclude sources of ignition and ventilate the area.

Do not inhale vapours.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions

: Do not let product enter drains.

If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

: Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local

regulations (see chapter 13).

Clean preferably with a detergent; avoid use of solvents.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentrations higher than the occupational exposure limits. Comply with the health and safety at work laws. Smoking, eating and drinking should be prohibited in the application area. Observe specific national regulations for handling and use of paints.

Advice on protection against fire and explosion

: The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Preparation may charge electrostatically: always use earthing leads whentransferring from one container to another. Operators should wear anti-static footwear and clothing. No sparking tools should be used. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Electrical equipment should be protected to the appropriate standard. Floors should be of the conducting type. Keep container tightly closed. Never use pressure to empty: container isnot a pressure vessel. No smoking. Prevent unauthorized access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Further information on

Always keep in containers of same material as the original

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

storage conditions one. See also instructions on the label. Avoid heating and

direct sunlight. Keep container dry in a cool, well-ventilated

place.

Advice on common storage : Keep away from oxidising agents and strongly acid or alkaline

materials.

German storage class : 3, Flammable liquids

Storage temperature : 5 - 35 °C

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

CAS-No.	Source	Value	Ceiling Limit Value	Update
n-butyl acetate				
123-86-4 204-658-1	Occupational Exposure Standards (OESs) / EH40	150 ml/m3 724 mg/m3		01.09.2003

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain aerosoland solvent vapours concentration below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Eye protection : Wear safety goggles to protect against solvent splashes.

Hand protection

Remarks : Adhere to the professional organisation rule "Use of protective

gloves". Appropriate chemicals resistant glove tested in

Mankiewicz Gebr. & Co. (GmbH & Co. KG) Georg-Wilhelm-Straße 189 21107 Hamburg (Wilhelmsburg) Tel: +49 (0) 40 / 75 10 30 Fax: +49 (0) 40 / 75 10 33 75 www.mankiewicz.de

Ort Kto-Nr. BLZ BIC IBAN Sitz/Registergericht Hamburg: HRA 42442 Hamburg 60022730 200 700 00 DEUTDEH-HXXX DE58 2007 0000 0600 2273 00 Personiich hartende Gesellschafterin: Hamburg 59273300 200 300 00 HYYEDEMM300 DE34 2003 0000 0059 2733 00 Grau Gebr. Beteiligungs-GmbH Hamburg 373205 200 100 20 PBNKDEFF200 DE85 2001 0020 0000 3732 05 Sitz/Registergericht Hamburg: HRB 17189 Gaschäftsführender Gesellschafter: Michael O. Grau



according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

compliance with EN 374.

Recommendation for protection against components generally found in the products:

For short-term contact (i.e. splash protection):

Appropriate material: nitrile rubber, Neoprene

Material thickness: > 0.4 mmBreakthrough time: > 480 min

Before use, the protective glove should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Preventive hand protection (skin protection cream) recommended. Wash immediately contaminated skin. Design operations thus to avoid permanent use of protective gloves.

Skin and body protection

Personal should wear antistatic clothings made of natural fiber or ofhigh temperature resistant synthetic fiber. All parts of the body shouldbe washed after contact.

Respiratory protection

: If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.

Use half-mask model with cartridge or air-fed.

Protective measures

: Do not eat or drink during work - no smoking. Avoid product contact with skin, eyes and clothing. Avoid the inhalation of dust from sanding, particulates and spray mist arising from the application of this preparation. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process until such time as the particulates and solvent vapour concentration has fallen below the exposure limits.

Environmental exposure controls

General advice : Do not let product enter drains.

> If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : according product name

Odour : characteristic

Odour Threshold : no data available pН : no data available Melting point/range : no data available

: ca. 100 °C Boiling point/boiling range

Flash point : 27 °C

Method: ISO 2719

Evaporation rate : no data available Flammability (solid, gas) : no data available Burning rate : no data available

Lower explosion limit : 1,0 %(V)

Upper explosion limit : 10,0 %(V)

Vapour pressure : ca. 100 hPa at 50 °C

Relative vapor density : no data available Relative density : no data available

: ca. 0,925 g/cm3 at 20 °C Density

Water solubility : insoluble

Solubility in other solvents : no data available

Miscibility with water : immiscible

Partition coefficient: n-

octanol/water

: no data available

Ignition temperature : > 400 °C

Thermal decomposition : no data available

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

Flow time : < 12 s

> Cross section: 4 mm Method: DIN 53211

Explosive properties : no data available Oxidizing properties : no data available

9.2 Other information

Solvent separation test : Exclusions: yes

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

There are no data available on the preparation itself.

10.4 Conditions to avoid

Conditions to avoid Stable under recommended storage and handling conditions

(See section 7).

10.5 Incompatible materials

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and

strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

Hazardous decomposition

products

When exposed to high temperatures may produce hazardous

decomposition products such as carbon monoxide and

dioxide, smoke, oxides of nitrogen.

Other information When exposed to high temperatures may produce hazardous

decomposition products such as carbon monoxide and

dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

Product:

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

Further information : Exposure of vapour concentration in excess of the stated

OEL's may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue muscular weakness, drowsiness and in extrem cases, loss of consciousness., Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin., The liquid splashed in the eyes may cause

irritation and reversible damage.

: The product was classified in toxicological terms on the basis of the results of the calculation procedure outlined within General Directive on Preparations (1999/45/EC).

Components:

acetylacetone, 123-54-6

Acute oral toxicity : LD50 rat: 575 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 rabbit: 4.870 mg/kg

Respiratory or skin

sensitization

: Result: Did not cause sensitization on laboratory animals.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : There are no data available on the preparation itself.

12.2 Persistence and degradability

Product:

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

Biodegradability : There are no data available on the preparation itself.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : There are no data available on the preparation itself.

12.4 Mobility in soil

Product:

Mobility : There are no data available on the preparation itself.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This mixture contains no substance considered to be

persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor

very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Additional ecological

information

: There are no data available on the preparation itself.

The product should not be allowed to enter drains or water

courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The listed waste code numbers, according to the European

Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional

waste disposal company.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

Waste key for the unused

product

: 080111 waste paint and varnish containing organic solvents or

other dangerous substances

SECTION 14: Transport information

14.1 ADR

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

UN Number 1263

Description of the goods PAINT RELATED MATERIAL

Class 3 Packaging group Ш Classification Code F1 Hazard identification No 30 ADR/RID-Labels 3

Tunnel restriction code Tunnelcode D/E

Special Provision 640E

Environmentally hazardous

14.2 IMDG

Substance No. UN 1263

Description of the goods PAINT RELATED MATERIAL

Class 3 Packaging group Ш **IMDG-Labels** 3

EmS Number F-E, S-E

Marine Pollutant yes ((Alkyl(C3-C8)Benzenes)

14.3 IATA

UN Number 1263

Description of the goods PAINT RELATED MATERIAL

Class 3 Packaging group Ш **ICAO-Labels** 3 Packing instruction (cargo 366

aircraft)

Environmentally hazardous yes Packing instruction 355

(passenger aircraft)

Packing instruction : Y344

(passenger aircraft)

14.4 Other information

If transported within the user's premises: To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of

conduct in case of incident or spillage.

14.5 Environmental hazards

Information on environmental hazards, if relevant, pls. see 14.1 - 14.3.

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Revision Date 09.11.2012 Print Date 09.11.2012 Version 2

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/13/EC : VOC content excluding water 74 %

689 g/l

Other regulations : The information given in this material safety data sheet does

not release the user from its duty of risk assessment and control in the work place defined in other health and safety

Adhere to the national sanitary and occupational safety

regulations when using this product.

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of R-Phrases

R10 Flammable.

Harmful if swallowed. **R22**

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

Full text of H-Statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Acute Tox. Acute toxicity

Aquatic Chronic Chronic aquatic toxicity

Further information

Other information : This safety datasheet complies with the requirements of

regulation (EC) No 1907/2006(453/2010).

according to Regulation (EC) No. 1907/2006



Revision Date 09.11.2012 Print Date 09.11.2012

Version 2

Commercial Product Name: ALEXIT BR12T4-BladeRep Thinner 12

Medium

Quality No.: 9021300000000

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183, D-21107 Hamburg

Telefon: +49 (0)40 / 79 02 36 300 Fax: +49 (0)40 / 79 02 36 357 e-mail: umco@umco.de

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.