

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CeTePox® AM 3508 Comp. B**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Epoxy resin hardening agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CTP Advanced Materials GmbH
Stahlstrasse 60
D-65428 Rüsselsheim

Tel.: +49-6142-91850, Fax: +49-6142-918555, Email: am.de@adityabirla.com

Informing department: see section 16

1.4 Emergency telephone number:

Poison Control Center Mainz - 24 h - Emergency Call: +49 (0)6131 19240

GB: Regional Medicines and Poisons Information Centre 844 892 0111

AU: National Poisons Information Network (Australia-wide) 131126

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Repr. 2 H361d Suspected of damaging the unborn child.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine
salicylic acid
1,3-Benzoldimethanamine
trimethylhexane-1,6-diamine
Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols

Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 1)

· **Precautionary statements**

- P260 Do not breathe dusts or mists.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
 · **vPvB:** Not applicable.

· **Determination of endocrine-disrupting properties**

69-72-7 salicylic acid

List II; III

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Epoxy resin hardener, formulation based on aliphatic polyamines

· **Dangerous components:**

CAS: 2855-13-2 EINECS: 220-666-8 Reg.nr.: 01-2119514687-32-xxxx	3-aminomethyl-3,5,5-trimethylcyclohexylamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317 ATE: LD50 oral: 1,030 mg/kg Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	35-60%
CAS: 1477-55-0 EINECS: 216-032-5 Reg.nr.: 01-2119480150-50-xxxx	1,3-Benzoldimethanamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH071	20-35%
EC number: 701-443-9 Reg.nr.: 01-2119980970-27-xxxx	Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1A, H317	20-35%
CAS: 25513-64-8 EINECS: 247-063-2 Reg.nr.: 01-2119560598-25-xxxx	trimethylhexane-1,6-diamine Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317	2.5-10%
CAS: 69-72-7 EINECS: 200-712-3 Reg.nr.: 01-2119486984-17-xxxx 01-2119486984-17-0018	salicylic acid Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	2.5-10%
CAS: 9046-10-0 Reg.nr.: 01-2119557899-12-xxxx	Polyoxypropylenediamine Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	2.5-10%

· **Additional information**

EU REACH Regulation (EC 1907/2006):

Due to a change in substance identity initiated by ECHA, the substance previously considered as "Phenol, styrolised" (CAS No. 61788-44-1; EC No. 262-975-0) has been assigned the new identifier : "Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols" (CAS No. N/A; EC No. 701-443-9), commonly known as phenol, mono and distyrolised.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation**

Seek medical treatment in case of complaints.

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact**

If skin irritation continues, consult a doctor.

Instantly rinse with water.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

· **Information for doctor** No particular measures are known - treat according to symptoms.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

· 5.3 Advice for firefighters

· **Protective equipment:** Put on breathing apparatus.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Put on breathing apparatus.

· 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 3)

Clean the accident area carefully.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 The usual precautionary measures for handling chemicals must be observed.
 Keep containers tightly sealed.
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle container with care.
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep breathing equipment ready.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
 Store only in the original container.
 Keep containers securely closed and dry, store frost-free.
 Provide floor trough without outlet.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

1477-55-0 1,3-Benzoldimethanamine

OEL (Ireland)	Long-term value: 0.1 mg/m ³
---------------	--

· DNELs

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Inhalative	DNEL - worker	0.073 mg/m ³
------------	---------------	-------------------------

1477-55-0 1,3-Benzoldimethanamine

Dermal	DNEL - worker	0.33 mg/kg / bw/d
--------	---------------	-------------------

Inhalative	DNEL - worker	1.2 mg/m ³
------------	---------------	-----------------------

Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols

Dermal	DNEL - worker	2.87 mg/kg / bw/d
--------	---------------	-------------------

Inhalative	DNEL - worker	1.21 mg/m ³
------------	---------------	------------------------

69-72-7 salicylic acid

Dermal	DNEL - worker	2 mg/kg / bw/d
--------	---------------	----------------

9046-10-0 Polyoxypropylenediamine

Dermal	DNEL - worker	2.5 mg/kg / bw/d
--------	---------------	------------------

Inhalative	DNEL - worker	1.36 mg/m ³
------------	---------------	------------------------

· PNECs

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

PNEC (predicted no effect concentration)	0.06 mg/l (Fresh water)
--	-------------------------

PNEC (predicted no effect concentration)	0.006 mg/l (Seawater)
--	-----------------------

1477-55-0 1,3-Benzoldimethanamine

PNEC (predicted no effect concentration)	0.094 mg/l (Fresh water)
--	--------------------------

PNEC (predicted no effect concentration)	0.0094 mg/l (Seawater)
--	------------------------

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 4)

Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols	
PNEC (predicted no effect concentration)	0.03 mg/l (Fresh water) 0.003 mg/l (Seawater)
25513-64-8 trimethylhexane-1,6-diamine	
PNEC (predicted no effect concentration)	0.102 mg/l (Fresh water) 0.01 mg/l (Seawater)
69-72-7 salicylic acid	
PNEC (predicted no effect concentration)	0.2 mg/l (Fresh water) 0.02 mg/l (Seawater)
9046-10-0 Polyoxypropylenediamine	
PNEC (predicted no effect concentration)	0.015 mg/l (Fresh water) 0.0142 mg/l (Seawater)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Recommended filter device for short term use:**



Combination filter A-P2

· **Hand protection**



Plastic gloves

Only use chemical protective gloves in accordance with EN ISO 374-1.

To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

Check the permeability prior to each renewed use of the glove.

Preventive skin protection by use of skin-protecting agents is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 5)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Value for the permeation: Level \leq 480 min
- **For the permanent contact gloves made of the following materials are suitable:**
Nitrile rubber, NBR
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Nitrile rubber (disposable glove)
- **As protection from splashes gloves made of the following materials are suitable:**
Nitrile rubber (disposable glove)
- **Not suitable are gloves made of the following materials:**
Strong gloves
Leather gloves
- **Eye/face protection**
Safety glasses
Safety glasses recommended during refilling.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** bluish-greenish
- **Odour:** Amine-like
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** > 200 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** 1.2 Vol %
- **Upper:** Not determined.
- **Flash point:** > 100 °C
- **Auto-ignition temperature:** 365 °C
- **Decomposition temperature:** Not determined.
- **pH** 11
c = 100 g/L; Propan-2-ol / H₂O (1/1, v/v)
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **dynamic at 20 °C:** 100 mPas (ISO 3219)
- **Solubility**
- **Water:** Not miscible or difficult to mix
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density at 23 °C** 1 g/cm³ (ISO 2811-2)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 6)

· Important information on protection of health and environment, and on safety.

- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Change in condition**
- **Evaporation rate** Not determined.

· Information with regard to physical hazard classes

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** strong oxidizing agents
- **10.6 Hazardous decomposition products:**
in the event of fire:
Poisonous gases/vapours
Corrosive gases/vapours

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral	LD50	1,030 mg/kg (ATE)
Dermal	LD50	1,840 mg/kg (rabbit)
		>2,000 mg/kg (Rat)

1477-55-0 1,3-Benzoldimethanamine

Oral	LD50	1,180 mg/kg (mou)
Dermal	LD50	3,100 mg/kg (rabbit)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 7)

Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols

Oral LD50 >2,000 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rat)

25513-64-8 trimethylhexane-1,6-diamine

Oral LD50 910 mg/kg (Rat)

69-72-7 salicylic acid

Oral LD50 891 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rat)

9046-10-0 Polyoxypropylenediamine

Oral LD50 2,885 mg/kg (Rat)

Dermal LD50 2,980 mg/kg (rabbit)

· Skin corrosion/irritation

In vitro membrane barrier test for skin corrosion leads the classification to subcategory 1B (dangerous goods packing group II)

Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Suspected of damaging the unborn child.

· STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards
· Endocrine disrupting properties

69-72-7 salicylic acid

List II; III

SECTION 12: Ecological information

· 12.1 Toxicity
· Aquatic toxicity:
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine
Bacterial toxicity 1,120 mg/l (*Pseudomonas putida*) (EC10(18h))Daphnia toxicity 23 mg/l (*Daphnia magna* (Wasserfloh)) (EC50(48h))Algal toxicity >50 mg/l (*Scenedesmus subspicatus*) (ErC50(72h))Fish toxicity 110 mg/l (*Leuciscus idus*) (LC50(96h))
1477-55-0 1,3-Benzoldimethanamine
Daphnia toxicity 15.2 mg/l (*Daphnia magna* (Wasserfloh)) (EC50(48h))Algal toxicity 33.3 mg/l (*Pseudokirchnerilla subcapitata*) (EC50(72h))Fish toxicity >100 mg/l (*Oncorhynchus mykiss* (Regenbogenforelle)) (LC50(96h))87.6 mg/l (*Oryzias Latipes*) (LC50(96h))
Reaction mass of (1-phenylethyl)phenols and bis-(1-phenylethyl)phenols
Daphnia toxicity 4.6 mg/l (*Daphnia magna* (Wasserfloh)) (EC50(48h))Algal toxicity 3.14 mg/l (Alge *Scenedesmus* sp.) (EL50(72h))

Fish toxicity 14.8 mg/l (Fisch (fish)) (LL50(96h))

25513-64-8 trimethylhexane-1,6-diamine
Bakterientoxizität (Bacteria toxicity) (static) 89 mg/l (*Pseudomonas putida*) (EC50(17h))

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 8)

Daphnia toxicity	31.5 mg/l (<i>Daphnia magna</i> (Wasserfloh)) (EC50(24h))
Algal toxicity	43.5 mg/l (<i>Scenedesmus subspicatus</i>) (ErC50(72h))
Fish toxicity	174 mg/l (<i>Leuciscus idus</i>) (LC50(48h))
69-72-7 salicylic acid	
Daphnia toxicity	870 mg/l (<i>Daphnia magna</i> (Wasserfloh)) (EC50 (48h))
Algal toxicity	>100 mg/l (<i>Desmodesmus subspicatus</i>) (EC50 (72h))
Fish toxicity	1,380 mg/l (<i>Pimephales promelas</i>) (LC50 (96h))
9046-10-0 Polyoxypropylenediamine	
Bakterientoxizität (Bacteria toxicity) (static)	380 mg/l (<i>Belebtschlamm</i> (activated sludge)) (EC20(3h))
Daphnia toxicity	80 mg/l (<i>Daphnia magna</i> (Wasserfloh)) (EC50(48h))
Algal toxicity	15 mg/l (<i>Pseudokirchnerilla subcapitata</i>) (EC50(72h))
Fish toxicity	>15 mg/l (<i>Oncorhynchus mykiss</i> (Regenbogenforelle)) (LC50(96h))

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Ecotoxicological effects:** Not determined
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Harmful to aquatic organisms
Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
For disposal, local regulations issued by the authorities must be observed. Dispose of liquid components at a suitable incineration plant. After curing, the product can be disposed of with household waste.

· European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 02 00	wastes from MFSU of other coatings (including ceramic materials)
08 02 99	wastes not otherwise specified

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024



Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 9)

SECTION 14: Transport information

<ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA 	UN2735
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR/RID/ADN · IMDG, IATA 	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Benzoldimethanamine, Isophorondiamin) AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Benzoldimethanamine, Isophorondiamin)
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR/RID/ADN 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 (C7) Corrosive substances. 8
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA 	II
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category · Segregation Code 	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	<hr style="border-top: 1px dashed black;"/>
<ul style="list-style-type: none"> · ADR/RID/ADN · Excepted quantities (EQ): · Limited quantities (LQ) · Excepted quantities (EQ) 	E2 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	2 E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) 	1L

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 10)

· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1 , 3 - B E N Z O L D I M E T H A N A M I N E , ISOPHORONDIAMIN), 8, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Decree to be applied in case of technical fault:**

VOC	- EU (Decopaint-Directive 2004/42/EC)
0.0	g/l

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· **Reasons for alterations**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Changes made since last issue dated 23.01.2023 at the following points: *

The version number on page 1 refers to the versions that were created after the changeover of the safety data sheets to Regulation (EU) 2020/878.

· **Relevant phrases**

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H361d Suspected of damaging the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.06.2024

Version number 3 (replaces version 2)

Revision: 26.06.2024

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 11)

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**

CTP Advanced Materials GmbH

Stahlstrasse 60

D-65428 Rüsselsheim

· **Contact:** SDB-am.de@adityabirla.com

· **Version number of previous version:** 2

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * **Data compared to the previous version altered.**