

Printing date 07.07.2021 Revision: 07.07.2021

# SECTION 1: Identification of the substance/mixture and of the company, undertaking

· 1.1 Product identifier

. Trade name: CeTePox® AM 3508 Comp. B

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Epoxy resin hardening agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

CTP Advanced Materials GmbH

Stahlstrasse 60

D-65428 Rüsselsheim

Tel.: +49-6142-91850, Fax: +49-6142-918555, Email: ctp @ctpgmbh.de

- · Informing department: see section 16
- 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 h - Emergency Call: +49 (0)6131 19240

GB: Regional Medicines and Poisons Information Centre 844 892 0111

AU: National Poisons Information Network (Australia-wide) 131126

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS05 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine salicylic acid

1,3-Benzoldimethanamine

trimethylhexane-1,6-diamine

Phenol, styrenated

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 07.07.2021 Revision: 07.07.2021

# Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description: Epoxy resin hardening agent, formulation on aliphatic polyamine basis

	ening agent, formulation on aliphatic polyamine basis	
· Dangerous components:		
CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9 Reg.nr.: 01-2119514687-32- xxxx	3-aminomethyl-3,5,5-trimethylcyclohexylamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	35-60%
CAS: 1477-55-0 EINECS: 216-032-5 Reg.nr.: 01-2119480150-50- xxxx	1,3-Benzoldimethanamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412	20-35%
CAS: 61788-44-1 EINECS: 262-975-0 Reg.nr.: 01-2119980970-27- xxxx	Phenol, styrenated Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	20-35%
CAS: 25513-64-8 EINECS: 247-063-2 Reg.nr.: 01-2119560598-25- xxxx	trimethylhexane-1,6-diamine Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317	2.5-10%
CAS: 69-72-7 EINECS: 200-712-3 Index number: 607-732-00-5 Reg.nr.: 01-2119486984-17- xxxx 01-2119486984-17- 0018	salicylic acid Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	2.5-10%
CAS: 9046-10-0 Reg.nr.: 01-2119557899-12- xxxx	Polyoxypropylenediamine Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	2.5-10%

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.

(Contd. on page 3)



Printing date 07.07.2021 Revision: 07.07.2021

## Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 2)

· After inhalation

Take affected persons into the open air and position comfortably Seek medical treatment in case of complaints.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- · Information for doctor No particular measures are known treat according to symptoms.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections Clean the accident area carefully.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

The usual precautionary measures for handling chemicals must be observed.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers:

Store only in the original container.

Keep containers securely closed and dry, store frost-free.

Provide floor trough without outlet.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)



Printing date 07.07.2021 Revision: 07.07.2021

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs			
2855-13-2	3-aminomethy	1-3,5,5-trimethy	ylcyclohexylamine
Inhalative	DNEL - worker	0.073 mg/m <sup>3</sup>	•
1477-55-0	1,3-Benzoldim	ethanamine	
Dermal	DNEL - worker	0.33 mg/kg / b	w/d
Inhalative	DNEL - worker	1.2 mg/m³	
61788-44-	1 Phenol, styre	nated	
Dermal	DNEL - worker	2.1 mg/kg / bw	v/d
Inhalative	DNEL - worker	7.4 mg/m³	
	nlicylic acid		
	DNEL - worker		
9046-10-0 Polyoxypropylenediamine			
	DNEL - worker		v/d
Inhalative	DNEL - worker	1.36 mg/m³	
PNECs			
2855-13-2	3-aminomethy	1-3,5,5-trimethy	ylcyclohexylamine
PNEC (pre	dicted no effect	concentration)	0.06 mg/l (Frischwasser (freshwater))
			0.006 mg/l (Meerwasser (seawater))
1477-55-0	1,3-Benzoldim	ethanamine	
PNEC (pre	edicted no effect	concentration)	0.094 mg/l (Frischwasser (freshwater))
			0.0094 mg/l (Meerwasser (seawater))
61788-44-	1 Phenol, styre	nated	0.0094 mg/l (Meerwasser (seawater))
	<b>1 Phenol, styre</b> edicted no effect		
PNEC (pre	edicted no effect 8 trimethylhexa	t concentration)  ane-1,6-diamin	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater)) e
PNEC (pre	edicted no effect	t concentration)  ane-1,6-diamin	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater)) e
PNEC (pre	edicted no effect 8 trimethylhexa	t concentration)  ane-1,6-diamin	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater)) e
PNEC (pre <b>25513-64-</b> PNEC (pre <b>69-72-7</b> sa	edicted no effect  8 trimethylhexe edicted no effect	t concentration)  ane-1,6-diamin t concentration)	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater))  e  0.102 mg/l (Frischwasser (freshwater)) 0.01 mg/l (Meerwasser (seawater))
PNEC (pre <b>25513-64-</b> PNEC (pre <b>69-72-7 s</b> a	edicted no effect  8 trimethylhexa edicted no effect	t concentration)  ane-1,6-diamin t concentration)	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater))  e  0.102 mg/l (Frischwasser (freshwater)) 0.01 mg/l (Meerwasser (seawater))  0.2 mg/l (Frischwasser (freshwater))
PNEC (pre <b>25513-64-</b> PNEC (pre <b>69-72-7</b> sa	edicted no effect  8 trimethylhexe edicted no effect	t concentration)  ane-1,6-diamin t concentration)	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater))  e  0.102 mg/l (Frischwasser (freshwater)) 0.01 mg/l (Meerwasser (seawater))
PNEC (pre 25513-64- PNEC (pre 69-72-7 sa PNEC (pre 9046-10-0	edicted no effect  8 trimethylhexa edicted no effect  alicylic acid edicted no effect	ane-1,6-diamine t concentration) t concentration) t concentration)	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater))  e  0.102 mg/l (Frischwasser (freshwater)) 0.01 mg/l (Meerwasser (seawater))  0.2 mg/l (Frischwasser (freshwater)) 0.02 mg/l (Meerwasser (seawater))
PNEC (pre 25513-64- PNEC (pre 69-72-7 sa PNEC (pre 9046-10-0	edicted no effect 8 trimethylhexa edicted no effect alicylic acid edicted no effect	ane-1,6-diamine t concentration) t concentration) t concentration)	0.03 mg/l (Frischwasser (freshwater)) 0.003 mg/l (Meerwasser (seawater))  e  0.102 mg/l (Frischwasser (freshwater)) 0.01 mg/l (Meerwasser (seawater))  0.2 mg/l (Frischwasser (freshwater)) 0.02 mg/l (Meerwasser (seawater))

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

(Contd. on page 5)



Printing date 07.07.2021 Revision: 07.07.2021

## Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 4)

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Use breathing protection in case of insufficient ventilation.
- Recommended filter device for short term use:



Combination filter A-P2

· Protection of hands:



Plastic gloves

Only use chemical-protective gloves with CE-labelling of category III.

To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

Check the permeability prior to each anewed use of the glove.

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Strong gloves

Leather gloves

· Eye protection:



Tightly sealed safety glasses.

· Body protection: Protective work clothing.

#### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Yellowish
Odour: Amine-like
Odour threshold: Not determined.

· **pH-value:** Mixture is non-polar/aprotic.

· Change in condition

Melting point/freezing point: Not determined Initial boiling point and boiling range: > 200 °C

· Flash point: > 100 °C

(Contd. on page 6)



Printing date 07.07.2021 Revision: 07.07.2021

Trade name: CeTePox® AM 3508 Comp. B

	(Contd. of pag
· Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	365 °C
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Critical values for explosion:	
Lower:	1.2 Vol %
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 23 °C	1 g/cm³ (ISO 2811-2)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic at 20 °C:	100 mPas (ISO 3219)
kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: strong oxidizing agents
- · 10.6 Hazardous decomposition products:

in the event of fire:

Poisonous gases/vapours

Corrosive gases/vapours

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed

	Harmiui II Swallowed.				
ſ	· LD/LC50 values that are relevant for classification:				
	2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine				
	Oral   LD50   1,030 mg/kg (rat)				
	Dermal	LD50	1,840 mg/kg (rab)		
			>2,000 mg/kg (rat)		
	1477-55-0 1,3-Benzoldimethanamine				
	Oral	LD50	1,180 mg/kg (mou)		
	Dermal	LD50	3,100 mg/kg (rab)		
_			(Contd. on page 7)		



Printing date 07.07.2021 Revision: 07.07.2021

## Trade name: CeTePox® AM 3508 Comp. B

		(Contd. of page 6)	
		nenol, styrenated	
Oral	LD50	>2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
25513-6	25513-64-8 trimethylhexane-1,6-diamine		
Oral	LD50	910 mg/kg (rat)	
69-72-7	69-72-7 salicylic acid		
Oral	LD50	891 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
9046-10	9046-10-0 Polyoxypropylenediamine		
Oral	LD50	2,885 mg/kg (rat)	
Dermal	LD50	2,980 mg/kg (rab)	

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- Suspected of damaging the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information · 12.1 Toxicity Aquatic toxicity: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine 1,120 mg/l (Pseudomonas putida) (EC10(18h)) Bakterien-Toxizität (Bacteria toxicity) Daphnientoxizität (Daphnia toxicity) 23 mg/l (Daphnia magna (Wasserfloh)) (EC50(48h)) >50 mg/l (Scenedesmus subspicatus) (ErC50(72h)) Algentoxizität (Algae toxicity) 110 mg/l (Leuciscus idus) (LC50(96h)) Fischtoxizität (Fish toxicity) 1477-55-0 1,3-Benzoldimethanamine Daphnientoxizität (Daphnia toxicity) 15.2 mg/l (Daphnia magna (Wasserfloh)) (EC50(48h)) Algentoxizität (Algae toxicity) 33.3 mg/l (Pseudokirchnerilla subcapitata) (EC50(72h)) > 100 mg/I (Oncorhynchus Fischtoxizität (Fish toxicity) mykiss (Regenbogenforelle)) (LC50(96h)) 87.6 mg/l (Orycias Latipes) (LC50(96h)) 61788-44-1 Phenol, styrenated Daphnientoxizität (Daphnia toxicity) 4.6 mg/l (Daphnia magna (Wasserfloh)) (EC50(48h)) Algentoxizität (Algae toxicity) 3.14 mg/l (Alge Scenedesmus sp.) (EL50(72h)) 14.8 mg/l (Fisch (fish)) (LL50(96h)) Fischtoxizität (Fish toxicity) 25513-64-8 trimethylhexane-1,6-diamine Bakterientoxizität (Bacteria toxicity) (static) 89 mg/l (Pseudomonas putida) (EC50(17h))

(Contd. on page 8)



Printing date 07.07.2021 Revision: 07.07.2021

# Trade name: CeTePox® AM 3508 Comp. B

_		(Contd. of page 7)	
	Daphnientoxizität (Daphnia toxicity)	31.5 mg/l (Daphnia magna (Wasserfloh)) (EC50(24h))	
	Algentoxizität (Algae toxicity)	43.5 mg/l (Scenedesmus subspicatus) (ErC50(72h))	
	Fischtoxizität (Fish toxicity)	174 mg/l (Leuciscus idus) (LC50(48h))	
	69-72-7 salicylic acid		
	Daphnientoxizität (Daphnia toxicity)	870 mg/l (Daphnia magna (Wasserfloh)) (EC50 (48h))	
	Algentoxizität (Algae toxicity)	>100 mg/l (Desmodesmus subspicatus) (EC50 (72h))	
	Fischtoxizität (Fish toxicity)	1,380 mg/l (Pimephales promelas) (LC50 (96h))	
	9046-10-0 Polyoxypropylenediamine		
	Bakterientoxizität (Bacteria toxicity) (static)	380 mg/l (Belebtschlamm (activated sludge)) (EC20(3h))	
	Daphnientoxizität (Daphnia toxicity)	80 mg/l (Daphnia magna (Wasserfloh)) (EC50(48h))	
	Algentoxizität (Algae toxicity)	15 mg/l (Pseudokirchnerilla subcapitata) (EC50(72h))	
	Fischtoxizität (Fish toxicity)	>15 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (LC50(96h))	

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects: Not determined
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into soil.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

For disposal, local regulations issued by the authorities must be observed. Dispose of liquid components at a suitable incineration plant. After curing, the product can be disposed of with household waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	UN2735
14.2 UN proper shipping name	
· ADR/RID/ADN	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3
	Benzoldimethanamine)
· IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (1,3
	Benzoldimethanamine)



Printing date 07.07.2021 Revision: 07.07.2021

# Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR/RID/ADN



· Class 8 (C7) Corrosive substances.

· Label

IMDG, IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· ADR/RID/ADN, IMDG, IATA II

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Warning: Corrosive substances.

· Kemler Number: · EMS Number: F-A.S-B Segregation groups Alkalis

· Stowage Category

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR/RID/ADN

· Excepted quantities (EQ): E2 · Limited quantities (LQ) 1L

Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category 2 Ε

· Tunnel restriction code

· IMDG

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. · UN "Model Regulation":

(1,3-BENZOLDIMETHANAMINE), 8, II



Printing date 07.07.2021 Revision: 07.07.2021

Trade name: CeTePox® AM 3508 Comp. B

(Contd. of page 9)

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

#### · Reasons for alterations

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Changes made since last issue dated 03.04.2020 at the following points: \*

#### Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### · Department issuing data specification sheet:

CTP Advanced Materials GmbH

Stahlstrasse 60

D-65428 Rüsselsheim

· Contact: sdb@ctpgmbh.de

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Repr. 2: Reproductive toxicity - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.